



**ProSafe Managed Layer2 Switches - Easily upgraded to Layer3**  
Enterprise class power and feature set, accessible from web interface or CLI

Model	ProSupport	Product Description	Rack Mount	10/100 Ports	10/100/1000 Ports	Module Slots	Stacking Technology	Warranty	3yr NBD included
<b>FSM726</b>	CAT.1	ProSafe 24-Port 10/100 L2 Managed Switch with 2 Combo Gigabit Ethernet Ports	1U	24	2	2 x SFP		Lifetime	y
<b>GSM7224</b>	CAT.2	ProSafe 24-Port Gigabit Enterprise L2+ Managed Switch with Lite L3 routing	1U	-	24	4 x SFP		Lifetime	y
<b>GSM7248</b>	CAT.3	ProSafe 48-Port Gigabit Enterprise L2 Managed Switch with Lite L3 routing	1U	-	48	4 x SFP		Lifetime	y
<b>PoE GSM7228PS</b>	CAT.3	ProSafe 24-Port Stackable Gigabit PoE L2+ Managed Switch with Lite L3 routing	1U	-	24 (24 with PoE/PoE+, 192 watts)	4 x SFP, 2 x SFP+, 2 10G/Stack ports	48Gbps Redundant Ring Stacking (up to 8 switches or 384 ports)	Lifetime	y
<b>PoE GSM7252PS</b>	CAT.4	ProSafe 48-Port Stackable Gigabit PoE L2+ Managed Switch with Lite L3 routing	1U	-	48 (48 with PoE/PoE+, 384 watts)	4 x SFP, 2 x SFP+, 2 10G/Stack ports	48Gbps Redundant Ring Stacking (up to 8 switches or 384 ports)	Lifetime	y
<b>GSM7228PL</b>		Layer3 License Upgrade for GSM7228PS							
<b>GSM7252PL</b>		Layer3 License upgrade for GSM7252PS							
<b>NEW APS525W</b>		Replaceable Power Supply for GSM7228PS/GSM7252PS						5 Year	
<b>NEW RPS5412</b>		Optimal Power® External Redundant Power Supply for GSM7xxx series Managed Switches						3 Year	



**ProSafe Managed Layer3 Switches**  
Enterprise class feature set with full routing capabilities for larger network deployments at the edge or the core

Model	ProSupport	Product Description	Rack Mount	10/100/1000 Ports	Module Slots	Stacking Technology	Warranty	3yr NBD included
<b>GSM7328FS</b>	CAT.3	ProSafe 24 SFP Gigabit L3 Managed Stackable Switch	1U	-	24 x SFP, 4 x 10G/Stack Ports	48Gbps Redundant Ring Stacking (up to 8 switches or 384 ports)	Lifetime	y
<b>GSM7328S</b>	CAT.3	ProSafe 24-Port Stackable Gigabit L3 Managed Switch	1U	24	4 x SFP, 2 x SFP+, 2 x 10G/Stack ports	48Gbps Redundant Ring Stacking (up to 8 switches or 384 ports)	Lifetime	y
<b>GSM7352S</b>	CAT.4	ProSafe 24-Port Stackable Gigabit L3 Managed Switch	1U	48	4 x SFP, 2 x SFP+, 2 x 10G/Stack ports	48Gbps Redundant Ring Stacking (up to 8 switches or 384 ports)	Lifetime	y
<b>APS135W</b>		Replaceable Power Supply for GSM7328S/GSM7352S					5 Year	
<b>NEW RPS5412</b>		Optimal Power® External Redundant Power Supply for GSM7xxx series Managed Switches					3 Year	
<b>NEW GSM7328FL</b>		IPv6 Routing Multicast License Upgrade for GSM7328FS						



**ProSafe 10Gigabit Managed Stackable Switches**  
Full 10Gigabit is now affordable without compromising on features or reliability.

Model	ProSupport	Product Description	Rack Mount	10Gigabit SFP+ Ports	10Gigabit 10GBase-T (RJ45)	Stacking Technology	Warranty	3yr NBD included
<b>NEW XSM7224S</b>	CAT.4	ProSafe 24-Port 10 Gigabit Stackable L2+ Managed Switch with Lite L3 routing	1U	24 (compatible with Gigabit SFP)	4 (also compatible with Gigabit)	80Gbps Redundant Ring Stacking (up to 4 switches or 96 ports)	Lifetime	y
<b>NEW XSM7224L</b>		Layer3 license upgrade for XSM7224S						
<b>NEW AFT200</b>		ProSafe Spare Modular Fan Tray					5 Year	
<b>NEW APS300W</b>		Redundant additional Power Supply for XSM7224S					5 Year	

**NETGEAR 8800 Series Chassis Switch**  
Large Enterprise-Class Networking at Mid-Sized Enterprise Budgets

Model	ProSupport	Product Description	I/O Module Slots	Connectivity	Module Compatibility	Description	Warranty	3yr NBD included
<b>XCM8806</b>	PAS0314	8800 Series 6-Slot Chassis Switch	4 Dedicated, 1 Dual Purpose, 1 Supervisory	-	-	Empty Chassis with Fan Tray, PSU/Fan Controllers, Blank Panels	3 Year	y
<b>XCM8810</b>	PAS0316	8800 Series 10-Slot Chassis Switch	8 Dedicated, 1 Dual Purpose, 1 Supervisory	-	-	Empty Chassis with Fan Tray, PSU/Fan Controllers, Blank Panels	3 Year	y
<b>XCM88PS1</b>		8800 Series 100-240VAC Power Supply Unit				Minimum 2 per chassis, 3 for redundancy, Maximum 6 per chassis	3 Year	y
<b>XCM88S1</b>		8800 Series Supervisory Module				One required, second for redundancy and increased throughput	3 Year	y
<b>XCM888F</b>		8800 Series 8-port 1000Base-X SFP Card for XCM88S1		8 x 1000Base-X SFP Ports	AGM731F, AGM732F, AGM734	Installs in XCM88S1 Module to give 8 x Gigabit SFP Ports	3 Year	y
<b>XCM8848T</b>		8800 Series 48-Port 10/100/1000Base-T Module		48 x 10/100/1000Base-T RJ-45 Ports	-		3 Year	y
<b>PoE XCM88P</b>		PoE Daughter Card for XCM8848T		-	-	Adds PoE support to XCM8848T Gigabit Module	3 Year	y
<b>XCM8824F</b>		8800 Series 24-port 1000Base-X SFP Module		24 x 1000Base-X SFP Ports	AGM731F, AGM732F, AGM734		3 Year	y
<b>XCM8808X</b>		8800 Series 8-port 10GBase-XFP Module		8 x 10GBase XFP Ports	AXM751, AXM752, AXC753		3 Year	y

**NETGEAR 8800 Series Chassis Switch Accessories**

<b>XCM88ASL</b>		8800 Series Advanced Core Software License Upgrade					-	-
<b>XCM8806PC</b>		8800 Series Power Supply Bay Cover for XCM8806					3 Year	y
<b>XCM8810PC</b>		8800 Series Power Supply Bay Cover for XCM8810					3 Year	y
<b>XCM8806FT</b>		8800 Series Spare Fan Tray Unit for XCM8806					3 Year	y
<b>XCM8810FT</b>		8800 Series Spare Fan Tray Unit for XCM8810					3 Year	y
<b>XCM88FPB</b>		8800 Series Spare Fan/PSU Controller Unit					3 Year	y

Choose from high performance wire-speed Layer2/Layer3 fully-managed switches, web managed Smart Switches, or plug-and-play unmanaged switches.

All NETGEAR switches are standards based, fully-compatible with existing 10/100/1000 network infrastructure, and deliver the performance, ease-of-use, and reliability you require.

Reliable.  
Affordable.  
Simple.

NETGEAR offers a complete line of reliable and affordable networking switches. From 5-port unmanaged desktop units, to fully-managed 48-port gigabit rackmount systems, NETGEAR switches provide the right speed, size, and form factor to fit your needs — regardless of the size and complexity of your network.



**ProSafe Unmanaged 10/100 Switches**  
Plug and Play simplicity, unrivalled reliability

Model	ProSupport	Product Description	Rack Mount	10/100 Ports	Module Slots	Housing	Warranty
<b>FS105</b>	CAT.1	ProSafe 5-Port 10/100 Desktop Switch	–	5	–	Steel desktop design, fanless	Lifetime
<b>FS108</b>	CAT.1	ProSafe 8-Port 10/100 Desktop Switch	–	8	–	Steel desktop design, fanless	Lifetime
<b>PoE FS108P</b>	CAT.1	ProSafe 8-Port 10/100 Switch with 4-Port PoE (55W budget)	–	8	–	Steel desktop design, fanless	Lifetime
<b>FS116</b>	CAT.1	ProSafe 16-Port 10/100 Desktop Switch	–	16	–	Steel desktop design, fanless	Lifetime
<b>PoE FS116P</b>	CAT.1	ProSafe 16-Port 10/100 Switch with 8-Port PoE (55W budget)	–	16	–	Steel desktop design, fanless	Lifetime



**ProSafe Unmanaged Gigabit Switches**  
Reliable, affordable and simple gigabit connectivity

Model	ProSupport	Product Description	Rack Mount	10/100/1000 Ports	Module Slots	Housing	Warranty
<b>GS105</b>	<b>GREEN</b> CAT.1	ProSafe 5-Port Gigabit Desktop Switch	–	5	–	Steel desktop design, fanless	Lifetime
<b>GS108</b>	<b>GREEN</b> CAT.1	ProSafe 8-Port Gigabit Desktop Switch	–	8	–	Steel desktop design, fanless	Lifetime
<b>PoE GS108P</b>	<b>GREEN</b> CAT.1	ProSafe 8-Port Gigabit Desktop Switch with 4-Port PoE (50W budget)	–	8	–	Steel desktop design, fanless	Lifetime
<b>GS116</b>	<b>GREEN</b> CAT.1	ProSafe 16-Port Gigabit Desktop Switch	–	16	–	Steel desktop design, fanless	Lifetime
<b>JGS516</b>	<b>GREEN</b> CAT.1	ProSafe 16-Port Gigabit Switch	1U	16	–	Steel 1U Rack Mount Design	Lifetime
<b>JGS524</b>	<b>GREEN</b> CAT.1	ProSafe 24-Port Gigabit Switch	1U	24	–	Steel 1U Rack Mount Design	Lifetime
<b>JGS524F</b>	CAT.1	ProSafe 24-Port Gigabit Switch with 2 SFP Slots	1U	24	2 x SFP	Steel 1U Rack Mount Design	Lifetime



**ProSafe Plus 10/100 and Gigabit Switches**  
Simple configuration and monitoring for the growing small business

Model	ProSupport	Product Description	Rack Mount	10/100 Ports	10/100/1000 Ports	Module Slots	Housing	Warranty
<b>GS105E</b>	<b>GREEN</b> CAT.1	ProSafe Plus Switch, 5-Port Gigabit Ethernet	–	–	5	–	Steel desktop design, fanless	Lifetime
<b>FS116E</b>	<b>GREEN</b> CAT.1	ProSafe Plus Switch, 16-Port Fast Ethernet	–	16	–	–	Steel desktop design, fanless	Lifetime
<b>JF5524E</b>	<b>GREEN</b> CAT.1	ProSafe Plus Switch, 24-Port Fast Ethernet	1U	24	–	–	Steel 1U Rack Mount Design, fanless	Lifetime
<b>NEW GS108E</b>	<b>GREEN</b> CAT.1	ProSafe Plus 8-Port Gigabit Ethernet Switch	–	–	8	–	Steel desktop design, fanless	Lifetime
<b>PoE NEW GS108PE</b>	<b>GREEN</b> CAT.1	ProSafe Plus 8-Port Gigabit Ethernet Switch with PoE (45W budget)	–	–	8	–	Steel desktop design, fanless	Lifetime
<b>NEW GS116E</b>	<b>GREEN</b> CAT.1	ProSafe Plus Switch 16-Port Gigabit Ethernet	–	–	16	–	Steel desktop design, fanless	Lifetime
<b>NEW JGS524E</b>	<b>GREEN</b> CAT.1	ProSafe Plus Switch 24-Port Gigabit Ethernet	1U	–	24	2 x SFP	Steel 1U Rack Mount Design, fanless	Lifetime



**ProSafe Smart Switches**  
Purpose-built, cost-effective solutions for small and medium-sized business with ease-of-management

Model	ProSupport	Product Description	Rack Mount	10/100 Ports	10/100/1000 Ports	Module Slots	Warranty
<b>FS726T</b>	CAT.1	ProSafe 24-Port 10/100 Smart Switch with 2 Gigabit Ports	1U	24	2	1 x SFP	Lifetime
<b>FS750T2</b>	CAT.1	ProSafe 48-Port 10/100 Smart Switch with 2 Gigabit Ports	1U	48	2	2 x SFP	Lifetime
<b>PoE FS726TP</b>	CAT.1	ProSafe 24-Port 10/100 Smart Switch with 2 Gigabit Ports and 12 Port PoE (100W budget)	1U	24	2	2 x SFP	Lifetime
<b>PoE FS728TP</b>	<b>GREEN</b> CAT.1	ProSafe 24-Port 10/100 Smart Switch with 4 Gigabit Ports and 24 PoE Ports (195W budget)	1U	24	4	2 x SFP	Lifetime
<b>GS108T</b>	<b>GREEN</b> CAT.1	ProSafe 8-Port Gigabit Smart Switch	–	–	8 PoE-PD	–	Lifetime
<b>PoE GS110TP</b>	<b>GREEN</b> CAT.1	ProSafe 8-Port Gigabit PoE Smart Switch with 2 Gigabit Fiber SFP	–	–	8 (8 with PoE, 46 watts)	2 x SFP	Lifetime
<b>GS716T</b>	<b>GREEN</b> CAT.1	ProSafe 16-Port Gigabit Smart Switch	1U	–	16	2 x SFP	Lifetime
<b>GS724T</b>	<b>GREEN</b> CAT.1	ProSafe 24-Port Gigabit Smart Switch	1U	–	24	2 x SFP	Lifetime
<b>GS748T</b>	<b>GREEN</b> CAT.1	ProSafe 48-Port Gigabit Smart Switch	1U	–	48	4 x SFP	Lifetime
<b>PoE GS724TP</b>	CAT.2	ProSafe 24-Port Gigabit Smart PoE Switch	1U	–	24 (24 with PoE, 192 watts)	2 x SFP	Lifetime
<b>PoE GS748TP</b>	CAT.2	ProSafe 48-Port Gigabit Smart PoE Switch	1U	–	48 (48 with PoE, 384 watts)	4 x SFP	Lifetime



**ProSafe Stackable Smart Switch**  
Powerful web-managed Stackable Smart Switch for better scalability, reliability and performance for growing businesses

Model	ProSupport	Product Description	Rack Mount	10/100/1000 Ports	Module Slots	Stacking Technology	Warranty
<b>GS724TS</b>	CAT.1	ProSafe 24-Port Gigabit Stackable Smart Switch	1U	24	4 x SFP	20Gbps Redundant Ring Stacking (up to 6 switches or 288 ports)	Lifetime
<b>GS748TS</b>	CAT.2	ProSafe 48-Port Gigabit Stackable Smart Switch	1U	48	4 x SFP	20Gbps Redundant Ring Stacking (up to 6 switches or 288 ports)	Lifetime
<b>PoE GS724TPS</b>	CAT.2	ProSafe 24-Port Gigabit Stackable PoE Smart Switch (192W budget)	1U	24	4 x SFP	20Gbps Redundant Ring Stacking (up to 6 switches or 288 ports)	Lifetime
<b>PoE GS748TPS</b>	CAT.2	ProSafe 48-Port Gigabit Stackable PoE Smart Switch (384W budget)	1U	48	4 x SFP	20Gbps Redundant Ring Stacking (up to 6 switches or 288 ports)	Lifetime



### 10 Gigabit Modules and Stacking Kits

NETGEAR® ProSafe® Modules and Stacking Kits



Model	Description	Compatible Switches	Warranty
<b>AX742</b>	ProSafe 24 Gigabit Stacking Kit (2 modules + 60cm cable) One AX742 required per switch for 48Gbps stacking	GSM72xxPS/GSM7328FS/GSM73xxSv2	5 Year
<b>AX743</b>	ProSafe 10 Gigabit SFP+ Adapter Module. Installs in expansion bay and provides an SFP+ port.	GSM72xxPS/GSM73xxSv2	5 Year
<b>AX744</b>	ProSafe 10 Gigabit Ethernet CX4 Module. Installs in expansion bay and provides a CX-4 port.	GSM72xxPS/GSM73xxSv2	5 Year
<b>AXM751</b>	ProSafe 10 GBase-SR XFP Optics Module. Up to 300m with 50/125 μm OM3 multimode fiber	XCM8808X Module in 8800 Series Chassis	5 Year
<b>AXM752</b>	ProSafe 10 GBase-LR XFP Optics Module. Up to 10km distance with 9/125μm single mode fiber	XCM8808X Module in 8800 Series Chassis	5 Year
<b>AXM761</b>	ProSafe 10GBase-SR SFP+ LC Optics Module. Up to 300m distance with 50/125μm OM3 multimode fiber	GSM72xxPS/GSM73xxSv2/XSM7224S	5 Year
<b>AXM762</b>	ProSafe 10GBase-LR SFP+ LC Optics Module. Up to 10km distance with 9/125μm single mode fiber	GSM72xxPS/GSM73xxSv2/XSM7224S	5 Year
<b>AXM763</b>	ProSafe 10GBase-LRM SFP+ LC Optics Module. Up to 220m distance with legacy 62.5/125μm OM1 multimode fiber	GSM72xxPS/GSM73xxSv2/XSM7224S	5 Year
<b>AXC753</b>	ProSafe 3M Direct Attach XFP to SFP+ Cable. XFP one end and SFP+ the other, for connecting SFP+ to XCM Chassis	XCM8808X Module in 8800 Series Chassis to GSM72xxPS/GSM73xxSv2 /XSM7224S	5 Year
<b>NEW</b> <b>AXC761</b>	ProSafe 1M Direct Attach SFP+ Cable. Fits into any 10G SFP+ interface	GSM72xxPS/GSM73xxSv2/XSM7224S	5 Year
<b>NEW</b> <b>AXC763</b>	ProSafe 3M Direct Attach SFP+ Cable. Fits into any 10G SFP+ interface	GSM72xxPS/GSM73xxSv2/XSM7224S	5 Year



### Gigabit SFP Modules

Model	Description	Warranty
<b>AGM731F</b>	GBIC Module 1000BASE-SX Fiber SFP (Supports LC duplex, multimode 50 μm - max 500m or 62.5 μm - max 220m)	5 Year
<b>AGM732F</b>	ProSafe GBIC Module 1000BASE-LX Fiber SFP (Supports LC duplex, multimode 50/62,5 μm - max 550m or Singlemode 9 μm - max 5km)	5 Year
<b>AFM735</b>	ProSafe 100Base-FX SFP LC GBIC (Supports LC duplex, multimode 50/125 μm or 62,5/125 μm - max 2km)	5 Year
<b>NEW</b> <b>AGM734</b>	ProSafe 1000Base-T SFP RJ45 GBIC	5 Year

## Network Management System



### NMS200 ProSafe Network Management System

The NETGEAR Network Management System NMS200 allows for smarter management of NETGEAR infrastructures.

Model	Description
<b>NEW</b> <b>NMS200</b>	ProSafe Network Management System Centralized - discovery, network configuration and monitoring of up to 5 NETGEAR managed devices
<b>NEW</b> <b>NMS215</b>	15 device license for NMS200 software - discovery, configuration and network monitoring
<b>NEW</b> <b>NMS230</b>	30 device license for NMS200 software - discovery, configuration and network monitoring
<b>NEW</b> <b>NMS250</b>	50 device license for NMS200 software - discovery, configuration and network monitoring
<b>NEW</b> <b>NMS2100</b>	100 device license for NMS200 software - discovery, configuration and network monitoring
<b>NEW</b> <b>NMS2500</b>	500 device license for NMS200 software - discovery, configuration and network monitoring

The NETGEAR Network Management System NMS200 allows for smarter management of NETGEAR infrastructures. Powerful, scalable, and simple to use, this management platform is installed and ready to use in a matter of minutes. NMS200 offers a single console for extensive visibility, granular control, and seamless automation across the entire network. By normalising how the infrastructure is configured and managed, administrators can save time, reduce errors, and increase operational efficiency.

NETGEAR ProSafe Wireless Access Points and management solutions are designed for today's demanding business environments where secure, fast, and transparent connectivity are critical. By adding NETGEAR ProSafe Wireless solutions to your network, you can be sure that your network grows with your business.



### Wireless-N up to 600Mb/s (802.11n)

Model	ProSupport	Product Description	External Antenna Connectors	WAN	LAN 10/100/1000	Bridge/Repeater mode	Wi-Fi Security	Features	Warranty
<b>NEW</b> WNDAP360	CAT.1	ProSafe Dual Band Wireless-N Access Point	2	-	1	Yes (WDS)	WPA2	Dual Band 2,4GHz & 5GHz	Lifetime
WNDAP350	CAT.1	ProSafe Dual Band Wireless-N Access Point	2	-	1	Yes (WDS)	WPA2	Dual Band 2,4GHz & 5GHz	Lifetime
WNAP320	CAT.1	ProSafe Wireless-N Access Point	2	-	1	Yes (WDS)	WPA2	Single Band 2,4GHz	Lifetime
WNAP210	CAT.1	ProSafe Wireless-N Access Point	-	-	1	Yes (WDS)	WPA2	Single Band 2,4GHz	Lifetime



### Centralised Wireless Management

Model	ProSupport	Product Description	Access Points	Expansion	Supported AP's	Warranty	3yr NBD Included*
WC7520	CAT.3	ProSafe 20-AP Wireless Controller	20 (expandable to 50 per controller)	Up to 50 AP's & 3 controllers	WNAP210, WNAP320, WNDAP350, WNDAP360	Lifetime	y
WC7510L		10-AP Incremental Licence Upgrade for WC7520				-	
WMS5316	CAT.1	ProSafe 16-AP Wireless Management System	16	-	WNDAP350, WNAP210, WG302v2, WG103, WN802Tv2, WG602v4, WNDAP360	Lifetime	
WMS105		ProSafe 5-AP Wireless Management Software	5	-	WNDAP350, WNAP210, WG302v2, WG103, WN802Tv2, WG602v4	-	



### ProSafe Antennas

Model	Product Description	Warranty
ANT2407	ProSafe 7DBI Omni-directional Antenna	2-Year
ANT32405	ProSafe 5DBI 3x3 Omni-directional Antenna	2-Year
ANT2409	ProSafe 9DBI Omni-directional Antenna	2-Year
ANT24D18	ProSafe 14DBI Patch Panel Directional Antenna	2-Year
ANT224D10	ProSafe 10DBI 2x2 Indoor Outdoor Directional Antenna	2-Year
ACC-10314-01	Low-Loss Antenna Cable 1.5m	2-Year
ACC-10314-03	Low-Loss Antenna Cable 5m	2-Year
ACC-10314-04	Low-Loss Antenna Cable 10m	2-Year



### ProSafe VPN Firewall

All-in-one devices offer a full SPI firewall with intrusion detection/prevention and more. VPN support with AES and 3DES Encryption

Model	ProSupport	Product Description	10/100 WAN ports	Gigabit WAN Ports	10/100 LAN Ports	Gigabit LAN Ports	SPI Firewall	IPSec VPN Support	SSL VPN Support	Features	Warranty
FVG318	CAT.1	ProSafe 802.11G Wireless VPN Firewall with 8-Port 10/100 Switch	1	-	8	-	Yes	8 tunnels	-	8 VPN tunnels	Lifetime
FV5318G	CAT.1	ProSafe VPN Firewall with 8 Port Gigabit Switch	-	1	-	8	Yes	5 tunnels	-	5 VPN tunnels	Lifetime
FV5336G	CAT.1	Dual WAN Gigabit SSL VPN Firewall	-	2	-	4	Yes	25 tunnels	10 tunnels	Dual WAN with Load Balancing	Lifetime
FV5318N											
SRX5308	CAT.1	ProSafe Quad WAN Gigabit SSL VPN Firewall	-	4	-	4	Yes	125 tunnels	50 tunnels	Quad WAN with Load Balancing	Lifetime
SRXN3205	CAT.1	ProSafe Wireless-N VPN Firewall	-	1	4	4	Yes	5 tunnels	5 tunnels	Dual Band 2,4GHz or 5GHz	Lifetime
VPNG01L		ProSafe VPN Client Professional Software Single User License	IPSec VPN Client Software. Single user license, Supports Win 7								
VPNG05L		ProSafe VPN Client Professional Software Five-User License	IPSec VPN Client Software. 5 user license, Supports Win 7								



ProSecure UTM - Comprehensive security for small business		Number of users	Firewall Throughput	Anti-Virus Throughput	VPN Support	Subscriptions Included	Warranty
<b>UTM5</b>	ProSecure Unified Threat Management (UTM) Appliance	Approx. 1-10	90 Mbps	15 Mbps	5 x IPSec, 2 x SSL	None	Lifetime
<b>UTM5EW</b>	ProSecure UTM5 1 year bundle (Email, Web, Maintenance & Support)	Approx. 1-10	90 Mbps	15 Mbps	5 x IPSec, 2 x SSL	Web/Email/Maintenance/Support	Lifetime (1yr - 24 x 7 NBD)
<b>UTM5EW3</b>	ProSecure UTM5 3 year bundle (Email, Web, Maintenance & Support)	Approx. 1-10	90 Mbps	15 Mbps	5 x IPSec, 2 x SSL	Web/Email/Maintenance/Support	Lifetime (3yr - 24 x 7 NBD)
<b>1 Year Subscription for UTM5 (for initial purchase or renewals)</b>							
1 Year	<b>UTM5B-10000S</b>	All Subscriptions Bundle					
<b>3 Year Subscription for UTM5 (for initial purchase or renewals)</b>							
3 Year	<b>UTM5B3-10000S</b>	All Subscriptions Bundle					



ProSecure UTM - Comprehensive security for small business		Number of users	Firewall Throughput	Anti-Virus Throughput	VPN Support	Subscriptions Included	Warranty
<b>UTM10</b>	ProSecure Unified Threat Management (UTM) Appliance	Approx. 5-15	90 Mbps	20 Mbps	10 x IPSec, 5 x SSL	None	Lifetime
<b>UTM10EW</b>	ProSecure UTM10 1 year bundle (Email, Web, Maintenance & Support)	Approx. 5-15	90 Mbps	20 Mbps	10 x IPSec, 5 x SSL	Web/Email/Maintenance/Support	Lifetime (1yr - 24 x 7 NBD)
<b>UTM10EW3</b>	ProSecure UTM10 3 year bundle (Email, Web, Maintenance & Support)	Approx. 5-15	90 Mbps	20 Mbps	10 x IPSec, 5 x SSL	Web/Email/Maintenance/Support	Lifetime (3yr - 24 x 7 NBD)
<b>1 Year Subscription for UTM10 (for initial purchase or renewals)</b>							
1 Year	<b>UTM10B-10000S</b>	All Subscriptions Bundle					
<b>3 Year Subscription for UTM10 (for initial purchase or renewals)</b>							
3 Year	<b>UTM10B3-10000S</b>	All Subscriptions Bundle					



ProSecure UTM - Comprehensive security for small business		Number of users	Firewall Throughput	Anti-Virus Throughput	VPN Support	Subscriptions Included	Warranty
<b>UTM25</b>	ProSecure Unified Threat Management (UTM) Appliance	Approx. 15-30	127 Mbps	25 Mbps	25 x IPSec, 13 x SSL	None	Lifetime
<b>UTM25EW</b>	ProSecure UTM25 1 year bundle (Email, Web, Maintenance & Support)	Approx. 15-30	127 Mbps	25 Mbps	25 x IPSec, 13 x SSL	Web/Email/Maintenance/Support	Lifetime (1yr - 24 x 7 NBD)
<b>UTM25EW3</b>	ProSecure UTM25 3 year bundle (Email, Web, Maintenance & Support)	Approx. 15-30	127 Mbps	25 Mbps	25 x IPSec, 13 x SSL	Web/Email/Maintenance/Support	Lifetime (3yr - 24 x 7 NBD)
<b>1 Year Subscription for UTM25 (for initial purchase or renewals)</b>							
1 Year	<b>UTM25B-10000S</b>	All Subscriptions Bundle					
<b>3 Year Subscription for UTM25 (for initial purchase or renewals)</b>							
3 Year	<b>UTM25B3-10000S</b>	All Subscriptions Bundle					



ProSecure UTM - Comprehensive security for small business		Number of users	Firewall Throughput	Anti-Virus Throughput	VPN Support	Subscriptions Included	Warranty
<b>UTM50</b>	ProSecure Unified Threat Management (UTM) Appliance	Approx. 30-60	400 Mbps	45 Mbps	50 x IPSec, 25 x SSL	None	Lifetime
<b>UTM50EW</b>	ProSecure UTM50 1 year bundle (Email, Web, Maintenance & Support)	Approx. 30-60	400 Mbps	45 Mbps	50 x IPSec, 25 x SSL	Web/Email/Maintenance/Support	Lifetime (1yr - 24 x 7 NBD)
<b>UTM50EW3</b>	ProSecure UTM50 3 year bundle (Email, Web, Maintenance & Support)	Approx. 30-60	400 Mbps	45 Mbps	50 x IPSec, 25 x SSL	Web/Email/Maintenance/Support	Lifetime (3yr - 24 x 7 NBD)
<b>1 Year Subscription for UTM50 (for initial purchase or renewals)</b>							
1 Year	<b>UTM50B-10000S</b>	All Subscriptions Bundle					
<b>3 Year Subscription for UTM50 (for initial purchase or renewals)</b>							
3 Year	<b>UTM50B3-10000S</b>	All Subscriptions Bundle					



ProSecure UTM - Comprehensive security for small business		Number of users	Firewall Throughput	Anti-Virus Throughput	VPN Support	Subscriptions Included	Warranty
<b>UTM150</b>	ProSecure Unified Threat Management (UTM) Appliance	Approx. 60-150	900 Mbps	130 Mbps	50 x IPSec, 25 x SSL	None	Lifetime
<b>UTM150EW</b>	ProSecure UTM150 1 year bundle (Email, Web, Maintenance & Support)	Approx. 60-150	900 Mbps	130 Mbps	50 x IPSec, 25 x SSL	Web/Email/Maintenance/Support	Lifetime (1yr - 24 x 7 NBD)
<b>UTM150EW3</b>	ProSecure UTM150 3 year bundle (Email, Web, Maintenance & Support)	Approx. 60-150	900 Mbps	130 Mbps	50 x IPSec, 25 x SSL	Web/Email/Maintenance/Support	Lifetime (3yr - 24 x 7 NBD)
<b>1 Year Subscription for UTM150 (for initial purchase or renewals)</b>							
1 Year	<b>UTM150B-10000S</b>	All Subscriptions Bundle					
<b>3 Year Subscription for UTM150 (for initial purchase or renewals)</b>							
3 Year	<b>UTM150B3-10000S</b>	All Subscriptions Bundle					

## ProSecure UTM

A comprehensive all-in-one gateway security solution for growing businesses needing a firewall. ProSecure UTM appliances simply replace an existing firewall and provide:

- Proxy Firewall
- SSL & IPSec VPNs
- Anti-Virus
- Anti-Spyware
- Anti-Spam
- Intrusion Prevention
- URL Filtering
- Application Control

NETGEAR ProSecure uses a recently patented Stream Scanning Technology that's unique to the UTM and STM security appliances. This innovative and scalable technology scans internet and email traffic around 5-times faster than conventional batch-scanning systems while simultaneously accessing a massive signature database up to 400-times more comprehensive than many legacy all-in-one platforms. On the UTM's that means over 1.2million malware, virus and threat definitions are used to provide SMB networks with enterprise-grade protection. From the smallest LANs to multi-location networks, ProSecure delivers both protection and performance.



## ProSecure STM

An integrated hardware/software appliance for complete protection of a medium business' web and email traffic. Modern Web 2.0 & cloud computing threats are mitigated through anti-malware/virus/phishing/spam/spyware technologies.

NETGEAR's Stream Scanning Technology is a recently patented system unique to the UTM and STM security appliances. Developed to protect networks from the constantly evolving internet, this innovative technology dramatically reduces scanning latency in order to filter network traffic around 5-times faster than conventional batch-scanning systems. Add to that a massive signature database which is up to 400-times more comprehensive than many legacy all-in-one platforms, and you've got over 3 million malware, virus and threat definitions available to provide a truly enterprise-grade network security solution for web and mail-based threats.



NETGEAR® ProSecure™ STM



ProSecure STM - Enterprise-strength Spam, Virus, and Web Filter Security		Number of users	Firewall Throughput	Anti-Virus Throughput	VPN Support	Subscriptions Included	Warranty
<b>STM150EW</b>	ProSecure STM150 1 year bundle (Email, Web, Maintenance & support)	Approx. 150	1000	42 Mbit/s	139,000 emails/hr	Web/Email/Maintenance/Support	2
<b>STM150EW3</b>	ProSecure STM150 3 year bundle (Email, Web, Maintenance & support)	Approx. 150	1000	42 Mbit/s	139,000 emails/hr	Web/Email/Maintenance/Support	2
<b>1 Year Subscriptions for STM150 (for initial purchase or renewals)</b>							
1 Year	<b>STM150E</b> -10000S	Email Protection					
1 Year	<b>STM150W</b> -10000S	Web Protection					
1 Year	<b>STM150M</b> -10000S	Maintenance & Support					
1 Year	<b>STM150B</b> -10000S	All Subscriptions Bundle					
<b>3 Year Subscriptions for STM150 (for initial purchase or renewals)</b>							
3 Year	<b>STM150E3</b> -10000S	Email Protection					
3 Year	<b>STM150W3</b> -10000S	Web Protection					
3 Year	<b>STM150M3</b> -10000S	Maintenance & Support					
3 Year	<b>STM150B3</b> -10000S	All Subscriptions Bundle					
		Number of users	Firewall Throughput	Anti-Virus Throughput	VPN Support	Subscriptions Included	Warranty
<b>STM300EW</b>	ProSecure STM300 1 year bundle (Email, Web, Maintenance & support)	Approx. 300	2000	163 Mbit/s	420,000 emails/hr	Web/Email/Maintenance/Support	2
<b>STM300EW3</b>	ProSecure STM300 3 year bundle (Email, Web, Maintenance & support)	Approx. 300	2000	163 Mbit/s	420,000 emails/hr	Web/Email/Maintenance/Support	2
<b>1 Year Subscriptions for STM300 (for initial purchase or renewals)</b>							
1 Year	<b>STM300E</b> -10000S	Email Protection					
1 Year	<b>STM300W</b> -10000S	Web Protection					
1 Year	<b>STM300M</b> -10000S	Maintenance & Support					
1 Year	<b>STM300B</b> -10000S	All Subscriptions Bundle					
<b>3 Year Subscriptions for STM300 (for initial purchase or renewals)</b>							
3 Year	<b>STM300E3</b> -10000S	Email Protection					
3 Year	<b>STM300W3</b> -10000S	Web Protection					
3 Year	<b>STM300M3</b> -10000S	Maintenance & Support					
3 Year	<b>STM300B3</b> -10000S	All Subscriptions Bundle					
		Number of users	Firewall Throughput	Anti-Virus Throughput	VPN Support	Subscriptions Included	Warranty
<b>STM600EW</b>	ProSecure STM600 1 year bundle (Email, Web, Maintenance & support)	Approx. 600	4000	260 Mbit/s	960,000 emails/hr	Web/Email/Maintenance/Support	2
<b>STM600EW3</b>	ProSecure STM600 3 year bundle (Email, Web, Maintenance & support)	Approx. 600	4000	260 Mbit/s	960,000 emails/hr	Web/Email/Maintenance/Support	2
<b>1 Year Subscriptions for STM600 (for initial purchase or renewals)</b>							
1 Year	<b>STM600E</b> -10000S	Email Protection					
1 Year	<b>STM600W</b> -10000S	Web Protection					
1 Year	<b>STM600M</b> -10000S	Maintenance & Support					
1 Year	<b>STM600B</b> -10000S	All Subscriptions Bundle					
<b>3 Year Subscriptions for STM600 (for initial purchase or renewals)</b>							
3 Year	<b>STM600E3</b> -10000S	Email Protection					
3 Year	<b>STM600W3</b> -10000S	Web Protection					
3 Year	<b>STM600M3</b> -10000S	Maintenance & Support					
3 Year	<b>STM600B3</b> -10000S	All Subscriptions Bundle					

Technology Partners




# NETGEAR® ReadyNAS® **NETGEAR**® ReadyNAS®

ReadyNAS unified architecture solves numerous data storage problems with a single system, making capacity management, access, backup, restore and disaster recovery worries obsolete. Reliable, Affordable and Simple to use, the NETGEAR ReadyNAS family of storage systems have been designed from the ground up for mid enterprise virtualisation projects.

### Key Features:

- Full certification for VMware and Hyper-V for peace of mind and joint support
- Supports fully redundant connections into NETGEAR stacking architecture
- Industry leading 5 Year warranty including 3 year onsite service for complete peace of mind\*
- Dual Gigabit and 10 Gigabit options with redundant power, cooling & enterprise class disks

\*For eligible products, countries and postcodes, please visit: [onsite.netgear.com](http://onsite.netgear.com)



## ReadyNAS for Business desktop network storage

Model	ProSupport Category	Product Description	Capacity	Drive bays	RAID	Integrated Disks	Gigabit Ethernet Ports	Features	Warranty
<b>RNDP2000</b>	CAT.1	ReadyNAS Pro 2	diskless	2	RAID 0,1 & X-RAID2™	–	2 (Load balanced/failover)	Intel Atom Dual Core, NAS & iSCSI, 100MB/s+	5
<b>RNDP2210</b>	CAT.1	ReadyNAS Pro 2, 2TB Unified Storage System	2TB	2	RAID 0,1 & X-RAID2™	2 x 1TB	2 (Load balanced/failover)	Intel Atom Dual Core, NAS & iSCSI, 100MB/s+	5
<b>RNDP2220</b>	CAT.1	ReadyNAS Pro 2, 4TB Unified Storage System	4TB	2	RAID 0,1 & X-RAID2™	2 x 2TB	2 (Load balanced/failover)	Intel Atom Dual Core, NAS & iSCSI, 100MB/s+	5
<b>NEW RNDP2230</b>	CAT.1	ReadyNAS Pro 2, 6TB Unified Storage System	6TB	2	RAID 0,1 & X-RAID2™	2 x 3TB	2 (Load balanced/failover)	Intel Atom Dual Core, NAS & iSCSI, 100MB/s+	5
<b>RNDP4000</b>	CAT.2	ReadyNAS Pro 4	diskless	4	RAID 0,1,5,10 & X-RAID2™	–	2 (Load balanced/failover)	Intel Atom DC, NAS & iSCSI, 100MB/s+	5
<b>RNDP4410</b>	CAT.2	ReadyNAS Pro 4, 4TB Unified Storage System	4TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 1TB	2 (Load balanced/failover)	Intel Atom DC, NAS & iSCSI, 100MB/s+	5
<b>RNDP4420</b>	CAT.2	ReadyNAS Pro 4, 8TB Unified Storage System	8TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 2TB	2 (Load balanced/failover)	Intel Atom DC, NAS & iSCSI, 100MB/s+	5
<b>NEW RNDP4430</b>	CAT.2	ReadyNAS Pro 4, 12TB Unified Storage System	12TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 3TB	2 (Load balanced/failover)	Intel Atom DC, NAS & iSCSI, 100MB/s+	5
<b>RNDP6000-200</b>	CAT.3	ReadyNAS Pro 6 (Diskless)	diskless	6	RAID 0,1,5,6,10 & X-RAID2™	–	2 (Load balanced/failover)	Intel Pentium DC, NAS & iSCSI, 110MB/s+, RAID6	5
<b>RNDP6310-200</b>	CAT.3	ReadyNAS Pro 6, 3TB Unified Storage System	3TB	6	RAID 0,1,5,6,10 & X-RAID2™	3 x 1TB	2 (Load balanced/failover)	Intel Pentium DC, NAS & iSCSI, 110MB/s+, RAID6	5
<b>RNDP6610-200</b>	CAT.3	ReadyNAS Pro 6, 6TB Unified Storage System	6TB	6	RAID 0,1,5,6,10 & X-RAID2™	6 x 1TB	2 (Load balanced/failover)	Intel Pentium DC, NAS & iSCSI, 110MB/s+, RAID6	5
<b>RNDP6620-200</b>	CAT.3	ReadyNAS Pro 6, 12TB Unified Storage System	12TB	6	RAID 0,1,5,6,10 & X-RAID2™	6 x 2TB	2 (Load balanced/failover)	Intel Pentium DC, NAS & iSCSI, 110MB/s+, RAID6	5
<b>NEW RNRP6630-200</b>	CAT.3	ReadyNAS Pro 6, 18TB Unified Storage System	18TB	6	RAID 0,1,5,6,10 & X-RAID2™	6 x 3TB	2 (Load balanced/failover)	Intel Pentium DC, NAS & iSCSI, 110MB/s+, RAID6	5

## ReadyNAS for Business rack mount network storage

Model	ProSupport Category	Product Description	Capacity	Drive bays	RAID	Integrated Disks	Gigabit Ethernet Ports	Features	Warranty	3yr NBD included
<b>RNRX441E</b>	CAT.3	ReadyNAS 1500 4TB Network Storage	4TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 1TB	2 (Load balanced/failover)	Cost Effective 1U NAS only, ideal for file sharing/backup	3	
<b>RNRX442E</b>	CAT.3	ReadyNAS 1500 8TB Network Storage	8TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 2TB	2 (Load balanced/failover)	Cost Effective 1U NAS only, ideal for file sharing/backup	3	
<b>NEW RNRX443E</b>	CAT.3	ReadyNAS 1500 12TB Network Storage	12TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 3TB	2 (Load balanced/failover)	Cost Effective 1U NAS only, ideal for file sharing/backup	3	
<b>NEW RNRX4410</b>	CAT.3	ReadyNAS 2100 4TB system	4TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 1TB	2 (Load balanced/failover)	Compact 1U design, NAS & iSCSI, X-Change module	5	
<b>RNRX4420</b>	CAT.3	ReadyNAS 2100 8TB system	8TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 2TB	2 (Load balanced/failover)	Compact 1U design, NAS & iSCSI, X-Change module	5	
<b>RNRX4430</b>	CAT.3	ReadyNAS 2100 12TB Network Storage	12TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 3TB	2 (Load balanced/failover)	Compact 1U design, NAS & iSCSI, X-Change module	5	
<b>NEW RNRX4450</b>	CAT.3	ReadyNAS 2100 2TB system	2TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 500GB	2 (Load balanced/failover)	Compact 1U design, NAS & iSCSI, X-Change module	5	
<b>RNRP4410</b>	CAT.3	ReadyNAS 3100 4TB Network Storage System	4TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 1TB	2 (Load balanced/failover)	1U with redundant power & cooling, NAS & iSCSI, 100MB/s+	5	y
<b>RNRP4420</b>	CAT.3	ReadyNAS 3100 8TB Network Storage System	8TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 2TB	2 (Load balanced/failover)	1U with redundant power & cooling, NAS & iSCSI, 100MB/s+	5	y
<b>NEW RNRP4430</b>	CAT.3	ReadyNAS 3100 12TB Network Storage System	12TB	4	RAID 0,1,5,10 & X-RAID2™	4 x 3TB	2 (Load balanced/failover)	1U with redundant power & cooling, NAS & iSCSI, 100MB/s+	5	y
<b>RNRP4410</b>	CAT.3	ReadyNAS 3200 6TB Network Storage System	6TB	12	RAID 0,1,5,6,10 & X-RAID2™	6 x 1TB	2 (Load balanced/failover)	2U with redundant power & cooling, NAS & iSCSI, 100MB/s+	5	y
<b>RN12P0620</b>	CAT.4	ReadyNAS 3200 12TB Network Storage System	12TB	12	RAID 0,1,5,6,10 & X-RAID2™	6 x 2TB	2 (Load balanced/failover)	2U with redundant power & cooling, NAS & iSCSI, 100MB/s+	5	y
<b>RN12P1210</b>	CAT.4	ReadyNAS 3200 12TB Network Storage System	12TB	12	RAID 0,1,5,6,10 & X-RAID2™	12 x 1TB	2 (Load balanced/failover)	2U with redundant power & cooling, NAS & iSCSI, 100MB/s+	5	y
<b>RN12P1220</b>	CAT.4	ReadyNAS 3200 24TB Network Storage System	24TB	12	RAID 0,1,5,6,10 & X-RAID2™	12 x 2TB	2 (Load balanced/failover)	2U with redundant power & cooling, NAS & iSCSI, 100MB/s+	5	y
<b>RN12T0620</b>	CAT.4	ReadyNAS 4200 12TB system support 10GE option	12TB	12	RAID 0,1,5,6,10 & X-RAID2™	6 x 2TB	2 (Load balanced/failover)	2U with redundant power & cooling, NAS & iSCSI, 100MB/s+	5	y
<b>RN12T1210</b>	CAT.4	ReadyNAS 4200 12TB system support 10GE option	12TB	12	RAID 0,1,5,6,10 & X-RAID2™	12 x 1TB	2 (Load balanced/failover)	2U high performance NAS & iSCSI, optional dual 10Gigabit	5	y
<b>RN12T1220</b>	CAT.4	ReadyNAS 4200 24TB system support 10GE option	24TB	12	RAID 0,1,5,6,10 & X-RAID2™	12 x 2TB	2 (Load balanced/failover)	2U high performance NAS & iSCSI, optional dual 10Gigabit	5	y
<b>NEW RN12T1230</b>	CAT.4	ReadyNAS 4200, 36TB system support 10GB option	36TB	12	RAID 0,1,5,6,10 & X-RAID2™	12 x 3TB	2 (Load balanced/failover)	2U high performance NAS & iSCSI, optional dual 10Gigabit	5	y
<b>RN12S0620</b>	CAT.4	ReadyNAS 4200, 12TB system with 10GE (SFP+)	12TB	12	RAID 0,1,5,6,10 & X-RAID2™	6 x 2TB	2 (Load balanced/failover)	2U high performance NAS & iSCSI, integrated dual 10Gigabit (SFP+)	5	y
<b>RN12S1220</b>	CAT.4	ReadyNAS 4200, 24TB system with 10GE (SFP+)	24TB	12	RAID 0,1,5,6,10 & X-RAID2™	12 x 2TB	2 (Load balanced/failover)	2U high performance NAS & iSCSI, integrated dual 10Gigabit (SFP+)	5	y
<b>RNRXTRAY1</b>		Replacement Disk Tray for ReadyNAS 2100							2	
<b>RNRXCHG</b>		Replacement X-Change Module for ReadyNAS 2100							2	
<b>RNRPFAN1</b>		Hot Swap Cooling Fan for ReadyNAS 3100							2	
<b>RNRPPSU1</b>		Hot Swap PSU for ReadyNAS 3100							2	
<b>RN12PTRAY</b>		Replacement Disk Tray for ReadyNAS 3200 & 4200							2	
<b>RN12PPSU</b>		Hot Swap PSU for ReadyNAS 3200 & 4200							2	
<b>RN12PFAN</b>		Hot Swap Cooling Fan for ReadyNAS 3200 & 4200							2	
<b>RN12T25FP</b>		ReadyNAS 4200 Optional Dual 10Gigabit Module (SFP+)							2	
<b>RN12P2GE</b>		Optional Dual Gigabit Module for ReadyNAS 3200 & 4200							2	

## ReadyNAS Replicate, Advanced ReadyNAS replication, backup & restore with cloud based management

Model	Product Description
<b>NEW RNOORPL1</b>	ReadyNAS Replicate License for Desktop ReadyNAS Systems (1 License Required per ReadyNAS, One Off, No Renewals)
<b>NEW RNOORPL2</b>	ReadyNAS Replicate License for Rack Mount ReadyNAS Systems (1 License Required per ReadyNAS, One Off, No Renewals)

## Pre-sales Support:

1300 361 069 (Australia)

0800 887 557 (New Zealand)

## Post-sales Support:

1300 361 254 (Australia)

0800 174 600 (New Zealand)

# NETGEAR®

[www.netgear.com.au](http://www.netgear.com.au)

[www.netgear.co.nz](http://www.netgear.co.nz)




NETGEAR, the NETGEAR logo, Connect with Innovation, ReadyNAS, ProSafe, ProSecure and ProSupport are trademarks and/or registered trademarks of NETGEAR, Inc. and/or its subsidiaries in the United States and/or other countries. Other brand names mentioned herein are for identification purposes only and may be trademarks of their respective holder(s). Information is subject to change without notice. © 2011 NETGEAR, Inc. All rights reserved.

## Warranties

NETGEAR products are designed and built to the high standards that are required for business class networks. To clearly demonstrate that NETGEAR products offer world class quality, NETGEAR offers industry leading warranties on all of its business class products.

### Industry Leading Warranties At a Glance

PRODUCT FAMILY	WARRANTY
NETGEAR ProSafe Switching	Lifetime
NETGEAR ProSafe Wireless Controllers	Lifetime
NETGEAR ProSafe Wireless Access Points	Lifetime on hardware, 3 years on power supply
NETGEAR ProSecure UTM Range	Lifetime (24 x 7 Next Business Day Hardware Replacement included with security subscriptions)
NETGEAR ProSecure STM Range	2 years (24 x 7 Next Business Day Hardware Replacement included with security subscriptions)
NETGEAR ReadyNAS	5 years



## ProSupport Service Offerings

NETGEAR understands that the integrity of the network directly impacts the success of business. Backed by the NETGEAR R&D and engineering teams, our service offerings ensure that NETGEAR business-class products operate even more efficiently and reliably, enabling customers to focus on their core business.

## OnCall 24x7 with Next Business Day Hardware Replacement

Covers unlimited phone and email based technical support for standard and advanced features. In the event of a hardware failure, NETGEAR will expedite the shipment of a replacement product for next business day arrival.

PMB0331 – Cat.1 3-years

PMB0332 – Cat.2 3-years

PMB0333 – Cat.3 3-years

PMB0334 – Cat.4 3-years

## XPressHW

Provides phone-based basic hardware support and next-business day express hardware replacement in the event of failure.

PRR0331 – Cat.1 3-Years

PRR0332 – Cat.2 3-Years

PRR0333 – Cat.3 3-Years

PRR0334(EU/AU) – Cat.4 3-Years\*\*

## Advanced 24x7 Technical Support and SW Maintenance (Applies to XCM8800)

Covers L3 Technical Support and Software Updates

PAS0314 – Cat.4 1-Year

PAS0316 – Cat.6 1-Year

\*The 5-Year and Lifetime Hardware Warranties only cover hardware, fans, and internal power supplies, and does not include external power supplies or software. Hardware modifications or customisation void the warranty. The warranty is only valid for the original purchaser and cannot be transferred. Basic technical support provided for 90 days from date of purchase.

\*\*Applicable in countries and post codes where NBD Onsite Hardware Replacement service is not available and if the product was purchased before July 1st 2011. Go to [onsite.netgear.com](http://onsite.netgear.com) for covered countries.

## Included Next Business Day Onsite Hardware Replacement

NETGEAR provides three (3) years of Next Business Day (NBD) onsite hardware replacement as part of the warranty support for select business-class products. Now businesses can maintain critical networks with minimum down time and without the added costs of purchasing extra NBD onsite support.

Products that include NBD Onsite as standard are:

– ProSafe Fully Managed Switches

– ProSafe Wireless Controllers (WC7520, WFS709TP)

– ReadyNAS Rack storage (3100, 3200 & 4200)



Please note the Next Business Day Onsite Hardware Replacement service does not cover hard drive replacement.

For eligible countries and post codes please visit: [onsite.netgear.com](http://onsite.netgear.com)